



**RETIFICIO
PADANO**

RETIFICIO PADANO S.r.l.

Via Padana Superiore, 176
I- 25035 OSPITALETTO (Brescia)
- Italy -

Tel. +39.030.684.8050
Web site: www.padano.it

Fax. +39.030.684.8053
e-mail: info@padano.it



POST CAP ZEPHIRO

PP

FEATURES


- Indicated for every kind of antihail system with concrete pole
- It simplifies the mounting operations thanks to the screws in only 4 pieces
- 8.8 certified screws





(optional)



(optional)



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|------------------------------------|------|-----|--------|
| 1807-1401 | Post Cap Zephiro 7x7 (no screws) | 32 | 32 | 768 |
| 1807-1402 | Post Cap Zephiro 7X8 (no screws) | 32 | 32 | 768 |
| 1807-1403 | Post Cap Zephiro 8x8,5 (no screws) | 32 | 32 | 768 |
| 1807-1422 | Screws for Zephiro | 32 | 320 | 5120 |
| 1807-0751 | Mon Block with nut and bolt | 32 | 320 | 320 |
| 2008-0016 | Special Nut M6 | 32 | 32 | - |
| 2009-0156 | Screw 6x20 (optional) | 32 | 32 | - |



POST CAP PRISMA



FEATURES

- indicated for every kind of antihail system with concrete pole
- available both with or without screws
- it simplifies the mouting operations thanks to the screws in only 4 pieces


DIMENSIONS

- dimensions: 215x115x120 mm


(optional)



(optional)



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-----------------------------------|------|-----|--------|
| 1807-1351 | Post Cap Prisma 7x7 (no screws) | 40 | 40 | 640 |
| 1807-1352 | Post Cap Prisma 7x8 (no screws) | 40 | 40 | 640 |
| 1807-1353 | Post Cap Prisma 8x8,5 (no screws) | 40 | 40 | 640 |
| 1807-1355 | Post Cap Prisma 9x9 (no screws) | 40 | 40 | 640 |
| 1807-1357 | Screws for Prisma (4pcs.) | 40 | 200 | 2400 |
| 1807-0751 | Mon-block (with nut and blot) | 32 | 320 | 320 |
| 2008-0016 | Special Nut M6 (optional) | 32 | 32 | - |
| 2009-0156 | Special screws 6x20 (optional) | 32 | 32 | - |



POST CAP QUBO

PP

FEATURES

- indicated for every kind of antihail system with concrete pole
- available both with or without screws
- it simplifies the mounting operations thanks to the screws in only 4 pieces
- 8.8 certified screws


DIMENSIONS

- dimensions: 160x115x120 mm


(optional)



(optional)



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|---------------------------------|------|-----|--------|
| 1807-1301 | Post Cap Qubo 7x7 (no screws) | 64 | 64 | 1024 |
| 1807-1302 | Post Cap Qubo 7x8 (no screws) | 64 | 64 | 1024 |
| 1807-1321 | Post Cap Qubo 8x8,5 (no screws) | 64 | 64 | 1024 |
| 1807-1305 | Post Cap Qubo 9x9 (no screws) | 64 | 64 | 1024 |
| 1807-1322 | Screws for Qubo (4pcs.) | 64 | 256 | 3200 |
| 1807-1326 | Post Cap Qubo 10x12 (no screws) | 45 | 45 | 720 |
| 1807-1327 | Screws for Qubo10x12 (4pcs.) | 45 | 225 | 2160 |
| 1807-0751 | Mon-block (with nut and bolt) | 32 | 320 | 320 |
| 2008-0016 | Special Nut M6 (optional) | 32 | 32 | - |
| 2009-0156 | Screw 6x20 (optional) | 32 | 32 | - |



POST CAP MONVISO



FEATURES

- indicated for every kind of hail system with concrete pole
- it simplifies the mounting operations thanks to the tab of the iron wire on the top
- it allows the mounting of the optional side protection to defend the net even later
- available both with screws for flat net and for “capannina”
- to avoid troubles when placing orders please write the name of the pole producer

DIMENSIONS


- dimensions: (7x7 - 7x8 - 8x8 - 8x8,5): 125x115x135 mm
- dimensions: (8,5x8,5 - 9x9): 150x130x140 mm
- dimensions: (10x12): 160x135x180 mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|---|------|-----|--------|
| 1807-0727 | Post Cap Monviso 7x7 (no screws) | 64 | 64 | 1024 |
| 1807-0728 | Post Cap Monviso 7x8 (no screws) | 64 | 64 | 1024 |
| 1807-0732 | Post Cap Monviso 8x8 (no screws) | 64 | 64 | 1024 |
| 1807-0731 | Post Cap Monviso 8x8,5 (no screws) | 64 | 64 | 1024 |
| 1807-0734 | Post Cap Monviso 8,5x8,5 (no screws) | 32 | 32 | 512 |
| 1807-0733 | Post Cap Monviso 9x9 (no screws) | 32 | 32 | 512 |
| 1807-0736 | Post Cap Monviso 10x12 (no screws) | 16 | 16 | 384 |
| 1807-0751 | Mon-block (with nut and bolt) | 32 | 320 | 320 |
| 1807-0709 | Protection for the Monviso (1pcs) | 256 | 256 | 6144 |
| 1807-0744 | Double screws for Monviso/Reno/FG (10pcs) | 32 | 128 | 6400 |
| 1807-0730 | Capannina screws for Monviso (4pcs) | 32 | 320 | 9600 |
| 2008-0016 | Special Nut M6 (opt.) | 32 | 32 | - |
| 2009-0156 | Special screws 6x20 (opt.) | 32 | 32 | - |



(optional)



POST CAP TESTATA



PP

FEATURES



- indicated for every kind of antihail system with concrete pole
- available both with or without screws

DIMENSIONS

- dimensions: 185x180x195 mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|----------------------------|------|-----|--------|
| 1807-0740 | Post Cap 14x14 (no screws) | 8 | 8 | 192 |
| 1807-0741 | Screws (3pcs.) | 8 | 8 | 4800 |



POST CAP LATINA

PP




FEATURES

- Indicated for 32 mm arch covering systems
- it simplifies the mounting operations and system maintenance
- Available for concrete poles size 7x7 and 7x8
- Patented

DIMENSIONS

- Dimensions: 116x126x155mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|------------|--|------|-----|--------|
| 1807-1505C | Post Cap Latina with screws (7x7 -7X8) | 30 | 30 | 720 |
| 1807-0751 | Mon block (with nut and bolt | 32 | 320 | 320 |



POST CAP SPHERA

PP




FEATURES

- Indicated for 32 mm arch covering systems
- It simplifies the mounting operations and system maintenance
- Available for concrete poles size 8x8 and 9x9
- It reduces the wind stresses thanks to its fixing system through a floating sphere
- Patented

DIMENSIONS

- Dimensions: 121x121x185mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|------------|--|------|-----|--------|
| 1807-1501C | Post Cap Sphera with screws (8x8 – 9x9 | 24 | 24 | 576 |
| 1807-0751 | Mon block (with nut and bolt) | 32 | 320 | 320 |



POST CAP ECO 5x5 – 6x6

PE




FEATURES

- Ideal for systems with concrete pole, pressure mounting
- It simplifies the mounting operations as it does not need ties. The wings on the top hold wires in different diameters.
- It does not alter the net links
- High resistance to weather distress

DIMENSIONS

- Dimensions (5x5): 85x90 mm
- Dimensions (6x6): 85x90 mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-------------|--------------------------|------|-----|--------|
| 1807-0312 | Post Cap 5x5 ECO (black) | - | 150 | 2400 |
| 1807-0312GR | Post Cap 5x5 ECO (gray) | - | 150 | 2400 |
| 1807-0308 | Post Cap 6x6 ECO (black) | - | 150 | 2400 |
| 1807-0308GR | Post Cap 6x6 ECO (gray) | - | 150 | 2400 |



POST CAP ECO 7x7 - 9x9

PE




FEATURES

- Ideal for systems with concrete pole, pressure mounting
- It simplifies the mounting operations as it does not need ties. The wings on the top hold wires in different diameters.
- It does not alter the net links
- High resistance to weather distress

DIMENSIONS

- Dimensions (7x7): 83x99mm
- Dimensions (9x9): 104x113mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-------------|--------------------------|------|-----|--------|
| 1807-0311 | Post Cap 7x7 ECO (black) | - | 120 | 1920 |
| 1807-0310 | Post Cap 9x9 ECO (black) | - | 80 | 1280 |
| 1807-0311GR | Post Cap 7x7 ECO (gray) | - | 120 | 1920 |
| 1807-0310GR | Post Cap 9x9 ECO (gray) | - | 80 | 1280 |



POST CAP FIX





FEATURES

- Ideal for systems with concrete pole, pressure mounting and then tighten the clamp at the bottom side of the cap.
- It simplifies the mounting operations as it does not need ties. The wings on the top hold wires in different diameters.
- It does not alter the net links
- High resistance to weather distress

DIMENSIONS

- Dimensions (6x6): 87x100 mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-------------|--------------------------|------|-----|--------|
| 1807-0320 | Post Cap Fix 6x6 (black) | - | 135 | 2160 |
| 1807-0320GR | Post Cap Fix 6x6 (gray) | - | 135 | 2160 |



POST CAP AER





FEATURES

- Ideal for systems with concrete pole, pressure mounting
- It simplifies the mounting operations as it does not need ties. The wings on the top hold wires in different diameters.
- It does not alter the net links
- High resistance to weather distress

DIMENSIONS

- Dimensions (6x6): 85x90mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-------------|--------------------------|------|-----|--------|
| 1807-0307 | Post Cap 6x6 AER (black) | - | 150 | 2400 |
| 1807-0307GR | Post Cap 6x6 AER (grey) | - | 150 | 2400 |



POST CAP 4 AND 12 CM WITH CROSS

PP

FEATURES



- indicated with every kind of hail system with wooden pole
- it simplifies the mounting operation thanks to the screws for the locking of the iron wire
- it does not alter the net links of the top

DIMENSIONS

- Dimensions: 125x130 mm
- Dimensions: 52x78 mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|--------------------------------------|------|-----|--------|
| 1807-0512 | Post Cap Ø 12cm | 200 | 200 | 3200 |
| 1807-0601 | Screws for Post Cap with cross | 200 | 200 | 6000 |
| 1807-0504 | Post Cap Ø 4cm with cross (no screw) | 500 | 500 | 12000 |



ROUND POST CAP



FEATURES


- ideal for systems with wooden pole
- it does not alter the net links
- high resistance to weather distress

DIMENSIONS

- Dimensions: from 64x95 mm to 165x160mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-------------|-------------------------------|------|------|--------|
| 1807-0106 | Post Cap Ø 6cm (black) | - | 1000 | 16000 |
| 1807-0108 | Post Cap Ø 8cm (black) | - | 700 | 11200 |
| 1807-0110 | Post Cap Ø 10cm (black) | - | 500 | 8000 |
| 1807-0112 | Post Cap Ø 12cm (black) | - | 300 | 4800 |
| 1807-0114 | Post Cap Ø 14cm (black) | - | 250 | 4000 |
| 1807-0116 | Post Cap Ø 16cm (black) | - | 200 | 3200 |
| 1807-0108GR | Post Cap Round Ø 8cm (grey) | - | 700 | 11200 |
| 1807-0110GR | Post Cap Round Ø 10cm (grey) | - | 500 | 8000 |
| 1807-0112GR | Post Cap Round. Ø 12cm (grey) | - | 300 | 4800 |
| 1807-0114GR | Post Cap Round Ø 14cm (grey) | - | 250 | 4000 |



UNIVERSAL POST CAP

PP

PE

FEATURES



- indicated for every kind of hail system with wooden pole or recovery pole
- it simplifies the mounting operation thanks to its adaptability to
- different pole diameters
- it does not alter the net links

DIMENSIONS

- Dimensions (6-10 cm): 120x100 mm
- Dimensions (18-21 cm): 220x180 mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|------------------------------|------|-----|--------|
| 1807-0201 | Universal Post Cap Ø 6/10cm | 500 | 500 | 8000 |
| 1807-0202 | Universal Post Cap Ø 18/21cm | 50 | 50 | 800 |






FEATURES


- indicated for flat hail systems with wooden pole
- it simplifies the mounting operation thanks to the screws for the locking of the iron wire on the top longitudinal wire
- available both with screws for flat net and for “capannina” (single screw)
- it does not alter the net links
- 8,8 certified screws

DIMENSIONS

- Dimensions (10-12 cm): 130x180 mm
- Dimensions (14-16 cm): 180x220 mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|--------------------------|------|-----|--------|
| 1807-0903 | Post Cap Reno Ø 10cm | 32 | 32 | 512 |
| 1807-0901 | Post Cap Reno Ø 12cm | 32 | 32 | 512 |
| 1807-0906 | Post Cap Reno Ø 14cm | 16 | 16 | 256 |
| 1807-0904 | Post Cap Reno Ø 16cm | 32 | 32 | 512 |
| 1807-0744 | Double screws (10pcs.) | 32 | 128 | - |
| 1807-0730 | Capannina screws (4pcs.) | 32 | 320 | - |



POST CAP FG 40-60-65



PP

FEATURES

- indicated for the systems with iron pole
- it simplifies the mounting operation thanks to the screws for the locking of the iron wire on the top and the transverse wire
- available both with screws for flat net and for "capannina"
- it does not alter the net links
- 8 certified screws

DIMENSIONS

- Dimensions: 100x120 mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|--------------------------|------|-----|--------|
| 1807-1103 | Post Cap FG40 | 64 | 64 | 1536 |
| 1807-1105 | Post Cap FG60 | 64 | 64 | 1536 |
| 1807-1107 | Post Cap FG65 | 64 | 64 | 1536 |
| 1807-0744 | Double screws (10pcs.) | 32 | 128 | - |
| 1807-0730 | Capannina screws (4pcs.) | 32 | 320 | - |



POST CAP CHAMPIGNON AND TERMINAL BOARD

PP

PE






FEATURES

- indicated for the systems with iron pole
- it simplifies the mounting operation thanks to the screws for the locking of the iron wire on the top and the transverse
- available both with screws for flat net and for “capannina”
- it does not alter the net links
- 8 certified screws


DIMENSIONS

- Dimensions (cp): Ø 38 mm inside pole diameter
- Dimensions (base): 120x70 mm - 193x160mm




Post Cap Champignon

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-----------------------------------|------|-----|--------|
| 1807-1001 | Post Cap Champignon | 200 | 200 | 4800 |
| 1807-1002 | Terminal board for Metal Pole 100 | 200 | 200 | 3200 |
| 1807-1005 | Terminal board for Metal Pole 180 | 50 | 50 | 800 |




Sideburn for Metal Pole 100




Sideburn for Metal Pole 180







CLIPS



CLIP RANIA

PA

FV




FEATURES

- perfect for the sewing of the central row (flat)
- high resistance to weather distress
- it can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- composed by 4 pieces

DIMENSIONS

- Dimensions: 92x66mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------|------|-----|--------|
| 1702-1102 | Clip Rania | 150 | 150 | 3600 |



PLACCHETTA ROMA

PA

FV




FEATURES

- perfect for the sewing of the central row (flat)
- high resistance to weather distress
- it can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- composed by 4 pieces


DIMENSIONS

- Dimensions: 82x54mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------|------|-----|--------|
| 1702-1101 | Clip Roma | 200 | 200 | 4800 |



CLIP RIVA - CLIP RIVA JR.




FEATURES

- perfect for the sewing of the central row
- high resistance to weather distress
- it can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- composed by 4 pieces


DIMENSIONS

- Dimensions: 54x33 mm / 74x40 mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|---------------|------|-----|--------|
| 1702-0901 | Clip Riva | 200 | 200 | 4800 |
| 1702-1001 | Clip Riva JR. | 400 | 400 | 9600 |



CLIP RESIA




FEATURES

- perfect for the sewing of the central row
- high resistance to weather distress
- it can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- high breaking load
- composed by 4 pieces


DIMENSIONS

- Dimensions: 100x40 mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------|------|-----|--------|
| 1702-0103 | Clip Resia | 200 | 200 | 4800 |



PLACCHETTA START

PA




FEATURES

- ideal for tensioning the net at the beginning and the end of the row
- high resistance to weather distress
- 4 special screws included in the Box
- it can be open by a single hand
- reopenable
- high breaking load
- composed by 4 pieces

DIMENSIONS

- Dimensions: 105x48mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------|------|-----|--------|
| 1702-1201 | Clip Start | 50 | 50 | 2400 |
| 1902-0531 | Asola 30 | 50 | 50 | 2400 |



CLIP AGROPETTINE

PA



FEATURES

- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress
- high mounting speed thanks to the click points

DIMENSIONS

- Dimensions: 85x26 mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------|------|------|--------|
| 1702-0407 | Agropettine | 2000 | 2000 | 32000 |



CLIP ROLLE




FEATURES

- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress
- high mounting speed thanks to the click points


DIMENSIONS

- Dimensions: 110x11 mm (ROLLE)

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|------------------|------|------|--------|
| 1702-0801 | Placchetta Rolle | 400 | 2000 | 32000 |



CLIP NEW ROLLE




FEATURES

- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress
- high mounting speed thanks to the click points

DIMENSIONS

- Dimensions: 95x10 mm (NEW ROLLE)

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|------------------|------|------|--------|
| 1702-0809 | Clip New Rolle 1 | 1000 | 1000 | 24000 |



CLIP ROLLE 2

R

PA





FEATURES

- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress
- high mounting speed thanks to the click points
- extendable by tools, it can be recovered by tools
- with tool

DIMENSIONS

- Dimensions: 100x21 mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|--------------|------|-----|--------|
| 1702-0802 | Clip Rolle 2 | 200 | 800 | 12800 |



SEWING NAIL

PA

FV

FE




FEATURES

- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress

DIMENSIONS

- Dimensions: 110x11 mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------------------------|------|------|--------|
| 1705-0302 | Needle sew in galvanized iron | 2000 | 2000 | 100000 |
| 1705-0201 | Needle sew extra in PA-FV | 250 | 6000 | 144000 |



CLIP MAGNUM




FEATURES

- perfect to stretch the net with elastic, for windbreak systems and
- shadows
- high resistance to weather distress
- it can have a pressure fixing on the net
- high mounting speed thanks to the click points
- perfect for all types of net

DIMENSIONS

- Dimensions: 113x45 mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|----------------|------|-----|--------|
| 1702-0501 | Clip Magnum PA | 200 | 800 | 12800 |



CLIP NIÑA




FEATURES

- perfect to stretch the net with elastic and shadows
- high resistance to weather distress
- it can have a pressure fixing on the net
- high mounting speed thanks to the click points
- perfect for all types of net

DIMENSIONS

- Dimensions: 78x45 mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------|------|------|--------|
| 1702-0505 | Clip Niña | 250 | 1000 | 24000 |



CLIP 12 POINTS

PP




FEATURES

- perfect to stretch the net with elastic and shadows
- high resistance to weather distress
- it can have a pressure fixing on the net
- perfect for all types of net

DIMENSIONS

- Dimensions: 110x35 mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|----------------|------|------|--------|
| 1702-0402 | Clip 12 points | 250 | 1500 | 24000 |



CLIP K4

PP



FEATURES

- perfect for windbreak and shadow nets
- high resistance to weather distress
- it can be anchored directly on the wire thanks to the hook located on the upper side
- it can be fixed directly on the pressure net thanks to 4 click points
- perfect for all types of net

DIMENSIONS

- Dimensions: 53x55mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------|------|------|--------|
| 1702-0210 | Clip K4 | 250 | 1000 | 24000 |



PLACCHETTA ANCORPLACK

PP




FEATURES

- perfect for windbreak and shadow nets
- high resistance to weather distress
- it can be anchored directly on the wire thanks to the hook located on the upper side
- it can be fixed directly on the pressure net thanks to 2 click points
- perfect for all types of net

DIMENSIONS


- Dimensions: 50x45 mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-----------------|------|------|--------|
| 1702-0201 | Clip Ancorplack | 500 | 2500 | 40000 |

CLIP ANCORPLACK 2

PA




FEATURES

- perfect for wind break and shadow nets
- high resistance to weather distress
- it can be anchored directly on the wire thanks to the hook located on the upper side
- it can be fixed directly on the pressure net thanks to click points
- perfect for all types of net

DIMENSIONS


- Dimensions: 130x42 mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------------|------|-----|--------|
| 1702-0204 | Clip Ancorplack 2 | 100 | 400 | 9600 |



CLIP 2 POINTS

PP



FEATURES

- high resistance to weather distress
- it can have a pressure fixing thanks to 2 click points
- perfect for all types of net

DIMENSIONS

- Dimensions: 50x45 mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-----------------------|------|------|--------|
| 1702-0301 | 2 points clip (black) | 500 | 3000 | 48000 |
| 1702-0302 | 2 points clip (green) | 500 | 3000 | 48000 |



FILM.NET JOINER CLIP

PP




FEATURES

- perfect for matching, linking and fixing nets
- high resistance to weather distress
- it can have a pressure fixing
- it perfectly connects 2 overlapped nets
- perfect for all kinds of net

DIMENSIONS

- Dimensions: 80x27 mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|----------------------|------|------|--------|
| 1702-0602 | Film.Net joiner clip | 500 | 3000 | 48000 |



Clip H - H2

PA





FEATURES

- Perfect for shadow-net and anti insect net
- Clip H2 is equipped with 2 eyelet

DIMENSIONS

- Dimensions: 55x33 mm - hole 11 mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------|------|------|--------|
| 1702-0507 | Clip H | 250 | 1000 | 24000 |
| 1702-0509 | Clip H2 | 250 | 1000 | 24000 |



RING CLIP

PP





FEATURES

- It protects the net from wearing and tearing
- It can have a pressure fixing on the net
- Perfect for all types of net
- Perfect for antifrost and irrigation systems

DIMENSIONS

- Dimensions: 100 mm - hole 45 mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------|------|-----|--------|
| 1702-0701 | Ring clip | 150 | 750 | 12000 |





CLIPS FOR NETS AND FILM

OVAL CARABINER

PA






FEATURES

- perfect for anchoring wired caps and plastic film, particularly indicated for antirain systems
- high resistance to weather distress
- reopenable
- easy to install

DIMENSIONS

- Dimensions: 38x34mm - 48x34mm - 77x48mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|------------------------------|------|------|--------|
| 1803-0115 | Oval Carabiner 30mm | 2500 | 2500 | 120000 |
| 1803-0114 | Oval Carabiner 40mm STANDARD | 2000 | 2000 | 96000 |
| 1803-0111 | Oval Carabiner 75mm | 500 | 3000 | 72000 |



ANCORA.NET

PVC

PP




FEATURES


- perfect for the winter closing of nets
- high mounting speed
- practical and cheap
- when opening the nets you do not have to remove any element of the system

DIMENSIONS

- Dimensions: 500 mm



Gancio NET (B)



STOP.NET

PVC

PA



STOP.NET



STOP.NET 2


FEATURES

- perfect for the winter closing and sewing of nets
- high mounting speed thanks to 6 points
- when opening the nets you do not have to remove any element of the system


DIMENSIONS

- Dimensions: 110x500 mm
- Dimensions: 100x21 mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|------------------|------|------|--------|
| 1802-0405 | Stop.NET (A+H) | 250 | 750 | 12000 |
| 1802-0401 | Tirante NET (A) | 250 | 1250 | 30000 |
| 1702-0803 | Rolle NET (H) | 250 | 1500 | 24000 |
| 1802-0407 | Stop.NET 2 (A+L) | 250 | 500 | 8000 |
| 1702-0806 | Rolle2.NET (L) | 250 | 750 | 12000 |



Rolle NET (H)



Rolle2.NET (L)



CLIPS MORSA 70 WITH HOOK




FEATURES



- perfect for anchoring nets and plastic film, particularly indicated for anti rain system
- high resistance to weather distress
- it can be anchored directly to the wire or the BUNGEE
- special self-tapping screw included in the Box
- perfect for all types of films of any thickness

DIMENSIONS

- Dimensions: 50x29mm - 70x60mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|---|------|-----|--------|
| 1701-0303 | CLIP MORSA 70 WITH HOOK WITH SECURITY FLAP + SCREW | 500 | 500 | 12000 |
| 1701-0304 | CLIP MORSA 70 WITH HOOK WITHOUT SECURITY FLAP + SCREW | 500 | 500 | 12000 |
| 1701-0307 | CLIP MORSA 50 WITH HOOK WITHOUT SECURITY FLAP + SCREW | 250 | 750 | 18000 |
| 1701-0308 | CLIP MORSA 50 WITH HOOK WITH SECURITY FLAP + SCREW | 250 | 750 | 18000 |



1701-0304
1701-0307



1701-0303
1701-0308



CLIPS MORSA 40-70

PP



FEATURES

- perfect for anchoring nets and plastic film, particularly indicated for anti rain system
- high resistance to weather distress
- it can be energized easily thanks to the slot on the upper side
- special self-tapping screw included in the Box
- perfect for all types of films of any thickness

DIMENSIONS

- Dimensions: 27x42mm - 70x60mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-----------------------|------|------|--------|
| 1701-0301 | Clip Morsa 40 + screw | 500 | 2000 | 48000 |
| 1701-0302 | Clip Morsa 70 + screw | 500 | 500 | 12000 |



STOP.FILM

PVC
PP



FEATURES

- perfect for anchoring nets and plastic film, particularly indicated for rain systems
- high resistance to weather distress
- special self-tapping screw included in the Box

DIMENSIONS

- Dimensions: 50x42x500mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|---------------------------------|------|------|--------|
| 1802-0408 | STOP.FILM (A+I) | 250 | 500 | 12000 |
| 1701-0306 | Clip Morsa 50 for Ties-Rods (I) | 250 | 1500 | 36000 |
| 1802-0401 | Ties-Rod Net (A) | 250 | 1250 | 30000 |



MORSA 100




FEATURES

- perfect for anchoring nets and plastic film, particularly indicated for anti rain system
- high resistance to weather distress
- perfect for all type of nets and films
- 2 special self-tapping screws included in the Box

DIMENSIONS

- Dimensions: 102x32mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|--------------|------|------|--------|
| 1701-0310 | MORSA 100 | 125 | 125 | 6000 |
| 1802-0401 | TIES-ROD NET | 250 | 1250 | 30000 |



AMO HOOK



FEATURES

- perfect for anchoring "ground cover" and eyelet plastic films
- indicated for anti rain system
- high resistance to weather distress
- extreme resistance to traction


DIMENSIONS

- Dimensions: 48x38mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------|------|------|--------|
| 1804-0406 | AMO HOOK | 500 | 3000 | 72000 |
| 1804-0411 | AMO HOOK S | 1500 | 1500 | 36000 |

AMO HOOK

AMO HOOK S



CLIP OMEGA

PVC




FEATURES

- perfect for anchoring nets and plastic films on a wire
- high resistance to weather distress
- fast and trigger mounting
- recoverable
- suitable for wires from 2.5mm to 4.0mm

DIMENSIONS

- Dimensions: 43x36mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------------|------|------|--------|
| 1701-0202 | ORANGE CLIP OMEGA | 500 | 2000 | 48000 |

SAFETY BAND

FV

PA



FEATURES

- Perfect for anchoring nets and plastic films on a wire
- Perfect for 3-6 mm wires (50)
- Perfect for 3,5-7 mm wires (70)
- High resistance to weather distress
- Reopenable





DIMENSIONS

- Dimensions: 44x70mm
- Dimensions: 40x50mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|----------------|------|------|--------|
| 1701-0102 | SAFETY BAND 70 | 100 | 500 | 12000 |
| 1701-0103 | SAFETY BAND 50 | 250 | 1000 | 24000 |

SAFETY BAND 70

SAFETY BAND 50





SPRING CATCH AND TIE RODS



SELF LOCKING SPRING CATCH

FV

PA




FEATURES

- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- extreme resistance to traction
- recoverable
- it locks the BUNGEE without a knot

DIMENSIONS

- Dimensions: 27x65mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|---------------------------|------|------|--------|
| 1803-0104 | SELF LOCKING SPRING CATCH | 500 | 2000 | 48000 |

SELF LOCKING SPRING CATCH ELEPHANT

PA




FEATURES

- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- extreme resistance to traction
- recoverable
- hook with push bolt for a high security
- it locks the BUNGEE without a knot

DIMENSIONS

- Dimensions: 31x65mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|------------------------------------|------|------|--------|
| 1803-0108 | Self locking spring catch elephant | 500 | 2000 | 48000 |

MOUNTING



MOUNTING

1. CONNECT THE BUNGEE IN ONE OF THE TWO HOLES IN THE DOWN SIDE
2. LET THE ROPE PASS THROUGH THE SLOT IN THE UPPER SIDE
3. LET THE ROPE GO OUT THE FREE HOLE IN THE DOWN SIDE, PULLING BOTH THE ROPE HEADS IN ORDER TO STOP THE ELASTIC IN THE SLOT.



PREMOUNTING SPRING CATCH




FEATURES

- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- extreme resistance to traction
- recoverable

DIMENSIONS

- Dimensions: 27x65mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|--------------------------|------|------|--------|
| 1803-0105 | PREMOUNTING SPRING CATCH | 500 | 2500 | 60000 |

PREMOUNTING SPRING CATCH ELEPHANT




FEATURES

- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- extreme resistance to traction
- recoverable
- hook with push bolt for a high security

DIMENSIONS

- Dimensions: 31x65mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-----------------------------------|------|------|--------|
| 1803-0106 | Premounting spring catch elephant | 500 | 2000 | 48000 |

STANDARD AND METALLIC SPRING CATCH



FEATURES STANDARD


- perfect for anchoring film and nets with eyelets or clips
- perfect for 4-6mm ropes
- high resistance to weather distress
- recoverable

FEATURES STANDARD


- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- recoverable

DIMENSIONS

- Dimensions: 25x60mm



STANDARD SPRING CATCH



METALLIC GALVANIZED SPRING CATCH

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|--------------------------------|------|------|--------|
| 1803-0202 | STANDARD SPRING CAT | 500 | 4000 | 96000 |
| 1803-0107 | METALLIC GALVANIC SPRING CATCH | 500 | 2500 | 48000 |

ANCORA.30

PVC

PA



FEATURES

- Rope plus self locking spring catch adjustable

DIMENSIONS


- Dimensions: 27x300mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|--|------|------|--------|
| 1803-0109 | Spring catch self-locking for rope 30cm | 500 | 2000 | 48000 |
| 1803-0113 | Spring catch eleph. self-locking for rope 30cm | 500 | 2000 | 48000 |
| 1802-0203 | Rope 30cm PVC (grey) | 500 | 2000 | 48000 |



PREMOUNTED ELASTIC

PET



FEATURES

- Perfect for stretching film and nets
- Bungee 8 mm black
- All the sizes available upon request
- Supplied with plastic or metallic spring catch

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|------------|--|------|-----|--------|
| 1902-02... | PRE-MOUNTED ELASTIC WITH 2 SPRING CATCH (DIFFERENT SIZES UPON REQUEST) | - | 100 | 2400 |

2019

2020

2021

2022

2023

2024

The colour indicator changes yearly showing the period of production.

BALL WITH ELASTIC

PA




FEATURES

- Perfect for the winter closing of the nets
- practical and cheap

DIMENSIONS

- Dimensions: 200 - 250 - 350mm
- Dimensions (ball): Ø 27mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|------------------------|------|------|--------|
| 1902-0502 | BALL WITH ELASTIC 20CM | - | 500 | 48000 |
| 1902-0503 | BALL WITH ELASTIC 30CM | - | 500 | 48000 |
| 1902-0508 | BALL WITH ELASTIC 35CM | - | 500 | 48000 |
| 1802-0502 | BALL FOR ELASTIC | 500 | 3000 | 72000 |



BUNGEE 8MM PET-PP

PET


FEATURES

- Perfect for stretching film and nets
- "long life" 8mm elastic black rope
- Covering of the natural inner rubber with PET
- Perfect if supplied together with self locking spring catch
- Traceability of the product age thanks to the colored pilot light

2019

2020

2021

2022

2023

2024

The colour indicator changes yearly showing the period of production.

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-----------------------|------|-------|--------|
| 1902-0201 | Bungee 8MM - PET | BOB. | 200MT | 60 |
| 1902-1601 | Bungee 8MM - ECOGREEN | BOB. | 200MT | 60 |

ROPE PET

PET


FEATURES

- Perfect for all type of anchoring
- Realized in braided PET

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|----------------|------|-------|--------|
| 1902-0402 | Rope PET 3,5MM | BOB. | 500MT | 96 |
| 1902-0403 | Rope PET 5,0MM | BOB. | 250MT | 60 |

FIXING CLIP


FV
PA


FEATURES

- Avoid making knots on the rope


DIMENSIONS

- Dimensions: 53x21mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------------|------|------|--------|
| 1701-0401 | Fixing Clip+Screw | 9000 | 2000 | 48000 |

SPIDER

PET


FEATURES

- Ideal for anti-rain systems
- Spider, composed of: n.4 elephant hooks, n.2 Bungee 8mm, n.1 metal ring
- Spider SPECIAL, composed of: n.4 elephant hooks, n.2 Bungee 8mm, n.1 metal ring, n.1 metal hook, rope 5MM

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|--------------------------------|------|-----|--------|
| 1902-0804 | ACCESSORY "SPIDER120" | - | 50 | - |
| 1902-0805 | ACCESSORY "SPIDER150" | - | 50 | - |
| 1902-0806 | ACCESSORY "SPIDER120" SPECIAL* | - | 50 | - |
| 1902-0807 | ACCESSORY "SPIDER150" SPECIAL* | - | 50 | - |

ENOKIT

PET


FEATURES

- Ideal for antihail systems on espalier vineyard
- Composed by 6 elephant self locking spring catches and 3 pieces of 8 mm elastic, 60 cm long

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------|------|-----|--------|
| 1902-0821 | ENOKIT | - | 50 | 1200 |


ENOLEGO

PE


FEATURES

- Ideal for antihail systems on espalier vineyard
- Length 24CM

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------|------|------|--------|
| 1902-0822 | ENOLEGO | 500 | 2000 | 48000 |






ANCHORING HOOKS AND NAILS



SINGLE HOOK

PA



FEATURES

- perfect for the anchoring of a wire on a wooden or concrete pole
- to be anchored on the post through a screw or a metallic wire


DIMENSIONS

- Dimensions: 38x9mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|--------------|------|-------|--------|
| 1805-0101 | SINGLE HOOK* | 1000 | 10000 | 240000 |



* screw not included



DOUBLE HOOK

PA



FEATURES

- perfect for the anchoring of a wire on a wooden or concrete pole
- to be anchored on the pole through a screw or a metallic wire
- supplied with double post to hold the wire in case of slope changing


DIMENSIONS

- Dimensions: 55x18mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|--------------|------|------|--------|
| 1805-0201 | DOUBLE HOOK* | 1000 | 5000 | 120000 |



* screw not included



SUPPORT BAR 165MM

FV

PA



* U-metallic not included




FEATURES

- perfect for the anchoring of 2 wires on a wooden or concrete pole
- to be anchored on the post through a screw or a metallic wire

DIMENSIONS

- Dimensions: 165x22mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|---------------------|------|-----|--------|
| 1805-0301 | SUPPORT BAR 165 MM* | 250 | 750 | 18000 |



SUPPORT BAR 75MM

PA



* screw+nut not included




FEATURES

- perfect for the anchoring of 2 wires on a wooden or concrete pole
- to be anchored on the post through a screw or a bolt

DIMENSIONS

- Dimensions: 75x20mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|--------------------|------|------|--------|
| 1805-0302 | SUPPORT BAR 75 MM* | 250 | 3000 | 72000 |



CROSS-STOP

PA



FEATURES

- perfect for anchoring caps and nets on a tubular
- perfect for greenhouses
- high resistance to weather distress
- screw mounting; recoverable

DIMENSIONS

- Dimensions: 22x25mm – 30x35mm – 40x40mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|---------------------------------------|------|------|--------|
| 1806-0121 | Cross Stop for wire 1,5-2,5MM | 1000 | 2000 | 48000 |
| 1806-0130 | Cross Stop for wire 2,5-4,0MM | 100 | 1000 | 24000 |
| 1806-0140 | Cross Stop for wire 4,0-10MM | 250 | 500 | 12000 |
| 1806-0221 | Cross Stop for wire 1,5-2,5MM sliding | 1000 | 2000 | 48000 |
| 1806-0230 | Cross Stop for wire 2,5-4,0MM sliding | 100 | 1000 | 24000 |

CLIPS FOR GREENHOUSES

PVC




FEATURES

- clips for anchoring the film on the tubular for greenhouses
- material: PVC printed
- boxaging: Pack
- high resistance to weather distress

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|------------------------------|------|------|--------|
| 1704-0115 | CLIPS FOR GREENHOUSES Ø 15MM | 250 | 3500 | 84000 |
| 1704-0120 | CLIPS FOR GREENHOUSES Ø 20MM | 250 | 3000 | 72000 |
| 1704-0125 | CLIPS FOR GREENHOUSES Ø 25MM | 250 | 2500 | 60000 |
| 1704-0130 | CLIPS FOR GREENHOUSES Ø 30MM | 250 | 2000 | 48000 |
| 1704-0135 | CLIPS FOR GREENHOUSES Ø 35MM | 250 | 1500 | 36000 |
| 1704-0140 | CLIPS FOR GREENHOUSES Ø 40MM | 250 | 1000 | 24000 |

CLIPS FOR IRRIGATION PIPE

PVC



FEATURES

- perfect for anchoring the dropping wing on the tutor wire
- perfect for vineyard and groves
- high resistance to weather distress
- trigger mounting
- recoverable

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|---------------------------|------|------|--------|
| 1704-0216 | CLIP FOR IRRIG. PIPE 16MM | 250 | 3000 | 72000 |
| 1704-0220 | CLIP FOR IRRIG. PIPE 20MM | 250 | 2500 | 60000 |
| 1704-0225 | CLIP FOR IRRIG. PIPE 25MM | 250 | 1500 | 36000 |
| 1704-0232 | CLIP FOR IRRIG. PIPE 32MM | 250 | 1250 | 30000 |

HOOK FOR IRRIGATION PIPE

PP



FEATURES

- perfect for anchoring the dropping wing on the tutor wire
- perfect for vineyard and groves
- high resistance to weather distress
- trigger mounting
- recoverable
- a drop break profile is in the down side

DIMENSIONS

- height: 50, 58, 90, 115mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------------------------------|------|------|--------|
| 1804-0303 | Short hook for irrigation pipe 16MM | 500 | 5000 | 120000 |
| 1804-0304 | Long hook for irrigation pipe 20MM | 500 | 4000 | 96000 |
| 1804-0301 | Long hook for irrigation pipe 16MM | 500 | 3000 | 72000 |
| 1804-0302 | Long hook for irrigation pipe 20MM | 500 | 2500 | 60000 |

DOUBLE HOOK

FV

PP



FEATURES

- perfect for anchoring the drooping wing on the ground
- perfect for vineyards and orchard
- high resistance to weather distress
- one model for 16 and 20MM wing

DIMENSIONS


- Dimensions: 170x20mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|--------------------------------|------|-----|--------|
| 1804-0401 | DOUBLE HOOK FOR IRRIG. 16-20MM | 250 | 500 | 24000 |



REVERSE HOOK IN PVC

PVC



FEATURES

- indicated for stretching 2 wind break nets
- high resistance to weather distress
- used in the tent for grape

DIMENSIONS

- Dimensions: 50x11mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|---------------------|------|-------|--------|
| 1804-0501 | REVERSE HOOK IN PVC | 1000 | 10000 | 240000 |

IRON REVERSE HOOK

FE



FEATURES

- indicated for stretching 2 windbreak nets
- high resistance to weather distress
- used in the tent for grape

DIMENSIONS

- Dimensions: 81x21mm
- Dimensions: 50x11mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-----------------------|------|------|--------|
| 1804-0601 | IRON REVERSE HOOK | - | 1000 | 100000 |
| 1804-0604 | IRON REVERSE HOOK 3XL | - | 1000 | 100000 |

REVERSE HOOK XL

FE



FEATURES

- indicated for stretching 2 windbreak nets
- high resistance to weather distress
- used in the tent for grape

DIMENSIONS

- Dimensions: 58x15mm

| COD. | XLDESCRIPTION | PACK | BOX | PALLET |
|-----------|----------------------|------|------|--------|
| 1804-0602 | IRON REVERSE HOOK XL | - | 1000 | 100000 |



C HOOK

PA



FEATURES

- indicated for anchoring 1 or 2 nets
- used in vineyard to keep 2 wires near
- high resistance to weather distress

DIMENSIONS

- Dimensions: 15x55mm – 20x120mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|---------------------|------|-------|--------|
| 1804-0102 | C HOOK WITH TAIL | 1000 | 10000 | 240000 |
| 1804-0104 | C HOOK WITHOUT TAIL | 1000 | 10000 | 240000 |
| 1804-0105 | C HOOK NO TAIL XL | 500 | 4000 | 96000 |

SEWING NAIL

PP



FEATURES

- indicated for the net sewing olive harvest
- high resistance to weather distress
- recoverable

DIMENSIONS

- Dimensions: 110mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|--------------------|------|------|--------|
| 1705-0202 | SEWING NAIL BLACK | 250 | 7500 | 180000 |
| 1705-0203 | SEWING NAIL YELLOW | 250 | 7500 | 180000 |



NAIL STOP NET

FV

PA



FEATURES

- indicated for the land fixing of caps and nets
- high resistance to weather distress
- hammering
- recoverable

DIMENSIONS

- dimensions: 110, 150, 200mm
- head diameter: 22, 45mm



| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|---------------------------|------|------|--------|
| 1705-0101 | NAIL WITH TONGUES 11CM | 200 | 3000 | 72000 |
| 1705-0106 | NAIL 15CM | 100 | 700 | 16800 |
| 1705-0104 | NAIL 20CM | 100 | 500 | 12000 |
| 1705-0402 | NAIL STOP T. BOMB - 15 CM | 100 | 700 | 1800 |
| 1705-0401 | NAIL STOP T. BOMB - 20 CM | 100 | 500 | 12000 |



S HOOK - VIGNOLA

PA



FEATURES

- indicated for anchoring 1 or 2 nets
- high resistance to weather distress

DIMENSIONS

- Dimensions: 23x46mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|----------------|------|-------|--------|
| 1804-0409 | HOOK "VIGNOLA" | 1000 | 8.000 | 192000 |



HOOK FOR EYELET - S HOOK

PA



FEATURES

- indicated for anchoring the drilled and/or eyelet cap to a wire
- high resistance to weather distress

DIMENSIONS

- Dimensions: 19x39mm
- Dimensions: 22x40mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------------------|------|-------|--------|
| 1804-0402 | HOOK FOR EYELET - LARGE | 1000 | 8000 | 192000 |
| 1804-0403 | HOOK FOR EYELET - SMALL | 1000 | 8000 | 192000 |
| 1804-0202 | S HOOK | 1000 | 10000 | 240000 |

ANTI TEAR WASHER

PVC



FEATURES

- indicated for fixing nets and films through a screw

DIMENSIONS

- Dimensions: Ø 22mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|----------------------|------|------|--------|
| 1703-0102 | PVC ANTI TEAR WASHER | | 1000 | 24000 |



BAND LEGO

PVC



FEATURES

- indicated for anchoring a plant to a tutor
- used mainly in spurred cordon vineyards
- it allows the growing of the plant without causing the choking
- extendable

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-----------------|------|------|--------|
| 2202-0219 | LEGO BAND 19 CM | 500 | 5000 | 120000 |
| 2202-0226 | LEGO BAND 26 CM | 500 | 4000 | 96000 |
| 2202-0239 | LEGO BAND 39 CM | 200 | 2000 | 48000 |

BAND GUYOT

PE



FEATURES

- indicated for anchoring a plant to a tutor
- used mainly in spurred cordon vineyards
- it allows the growing of the plant without causing the choking
- extendable

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|------------------|------|------|--------|
| 2202-0301 | GUYOT BAND 12 CM | 1000 | 8000 | 192000 |



W - W2 HOOK

PA



FEATURES

- indicated for anchoring the shoot to the tutor wire yearly
- used mainly for kiwi systems
- high resistance to weather distress

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|--|------|-------|--------|
| 2201-0304 | W2 Hook - 9,5 CM for 2,5 - 3,5 MM wire | 1000 | 10000 | 240000 |
| 2201-0307 | W Hook - 6,5 CM for 2 - 3 MM wire | 2000 | 14000 | 336000 |



W2



W



HOOK B2

PP



FEATURES

- indicated for anchoring the plant stock to the tutor wire
- used in grooves
- it allows the growing of the plant without causing the choking
- recoverable
- pliers available upon request to ease the mounting

DIMENSIONS

- Dimensions: 15x188 mm

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|----------------------------------|------|------|--------|
| 2201-0402 | Hook B2 for 2,2 - 3,0 MM wire | 500 | 2000 | 48000 |
| 2201-0403 | Gripper for mounting the Hook B2 | 1 | 4 | - |



PVC BAG

PVC



FEATURES

- indicated for anchoring the plant stock to the tutor wire
- good resistance to traction and knot
- practical and cheap

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|---------------------------------------|------|-----|--------|
| 1901-0260 | PVC Belt-hanging disposable bag 2,0MM | 1 KG | 15 | 600KG |
| 1901-0120 | PVC Belt-hanging disposable bag 3,0MM | 1 KG | 15 | 600KG |
| 1901-0130 | PVC Belt-hanging disposable bag 6,0MM | 1 KG | 15 | 600KG |
| 1901-0501 | PVC Skein 5,5MM Red | 1 KG | 15 | 600KG |

POLYESTER WIRE

PET



FEATURES

- minimum elasticity
- it does not conduct electricity
- in the laying it must be stretched for about 1,5%
- wide range of elements for the laying on pg. 43
- used in vines and greenhouses

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|------------------------------|------|------|--------|
| 2101-0201 | -PET 2,2 MM black (180MT/KG) | BOB. | 10KG | 60 |
| 2101-0301 | -PET 2,6 MM black (130MT/KG) | BOB. | 10KG | 60 |
| 2101-0401 | -PET 3,0 MM black (100MT/KG) | BOB. | 10KG | 60 |



METAL RING

FE



FEATURES

- ideal to fix the net at the start/end of the rows
- practical and economical

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------------|------|-----|--------|
| 2011-0011 | METAL RING Ø 80MM | - | 50 | - |
| 2006-0037 | METAL RING Ø 50MM | - | 50 | - |

U METAL

FE



FEATURES

- indicated for concrete posts

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|-------------------------------------|------|-----|--------|
| 1805-0306 | U-METALLIC M8 FOR POST 8X8 + 2 NUTS | - | 30 | - |
| 1805-0305 | U-METALLIC M8 FOR POST 9X9 + 2 NUTS | - | 30 | - |

CLAMP - CARABINER

FE



FEATURES

- ideal to fix wire or rope

| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|------------------------|------|-----|--------|
| 2011-0006 | CLAMP FOR WIRE 6 - 8MM | - | 70 | - |
| 2011-0005 | CLAMP FOR WIRE 4 - 5MM | - | 50 | - |
| 2011-0010 | CARABINER 60MM | - | 50 | - |

COVER - CLAMP


PP



FEATURES

- indicates for the protection of metal clamps #8-10


| COD. | DESCRIPTION | PACK | BOX | PALLET |
|-----------|----------------------|------|-----|--------|
| 2011-0012 | COVER - CLAMP # 8-10 | 100 | 500 | 12000 |




SPARE PARTS AND SCREWS

| COD. | DESCRIPTION | PACK |
|---|--|------|
| SCREWS FOR FLAT NET | | |
| 2009-0166 | Screw 10x40 | 10 |
| 2008-0009 | Nut M10 | 10 |
| 2008-0021 | Nut M10x30 | 10 |
| 2003-0011 | Washer 10x40x2,5 | 10 |
| 2006-0014 | Special washer 26x30 | 10 |
| 1807-0719 | Plastic Ring PP | 10 |
| 1807-0717 | Plastic Top PP | 10 |
| 1807-0718 | Plastic Cap PP | 10 |
| 2008-0016 | Special Nut M6 (optional) | 10 |
| 2009-0156 | Special Screw 6x20 (optional) | 10 |
| 2009-0158 | Screw 10x80 (optional) | 10 |
| 2006-0038 | Collar 32MM - M10 (optional) | 32 |
| SCREWS FOR "CAPANNINA" | | |
| 2008-0009 | Nut M10 | 10 |
| 2003-0011 | Washer 10x40x2,5 | 10 |
| 2006-0014 | Special washer 26x30 | 10 |
| 1807-0720 | Plastic Top PP | 10 |
| SCREWS FOR POST CAP QUBO, PRISMA, ZEPHIRO | | |
| 1807-1223 | Special washer PA 44x10,5x7 | 10 |
| 2006-0014 | Special washer 26x30 | 10 |
| 2009-0154 | Screw 10x35 | 10 |
| 1807-0715 | Plastic Cap PP (optional) | 10 |
| SCREWS FOR CP RENO | | |
| 2009-0126 | Screw joint 10x100 (standard) | 32 |
| 2009-0146 | Screw joint 10x120 (upon request) | 32 |
| 2009-0174 | Boccola montaggio mordente (a richiesta) | 1 |



| COD. | DESCRIPTION | PACK |
|-------------------------------------|-------------------------------------|------|
| SCREWS FOR POST CAP 14X14 | | |
| 2003-0011 | Washer 10x40x2,5 | 10 |
| 2006-0014 | Special washer 26x30 | 10 |
| 2009-0154 | Screw 10x35 | 10 |
| SCREWS FOR 12CM POST CAP WITH CROSS | | |
| 1807-0603 | Screw M8x80 | 10 |
| 1807-0605 | Washer 12x36 | 10 |
| 2006-0014 | Special washer 26x30 | 10 |
| 1807-0602 | Plastic tap PP | 10 |
| SCREWS FOR Morsa CLIP | | |
| 2009-0159 | Screw 6x24 (for Morsa 50-40) | 500 |
| 2009-0143 | Screw 6x30 (for Morsa 70) | 500 |
| SCREWS FOR CAP SPHERA | | |
| 2009-0173 | Screw 4x20 (for hemisphere) | 40 |
| 2009-0143 | Screw 6x30 (for shell) | 40 |
| 2008-0009 | Nut M10 | 10 |
| 2003-0011 | Round washer 10x40 | 10 |
| 2006-0014 | Bent washer 26x30x2,5 | 10 |
| 1807-1502S | Sphera cap body (1 piece) | 24 |
| 1807-1503S | Hemisphere for tube 32 mm | 48 |
| 1807-1504S | Closing shell | 24 |
| SCREWS FOR CAP LATINA | | |
| 2009-0175 | 0175 Screws for shell closure M8X40 | 32 |
| 2008-0009 | Nut M10 | 10 |
| 2003-0011 | Round washer 10x40 | 10 |
| 2006-0014 | Bent washer 26x30x2,5 | 10 |
| 1807-1506S | Latina cap body (1 piece) | 32 |
| 1807-1507S | Closing shell | 2 |




SCREWS FOR FLAT NET




SCREWS FOR "CAPANNINA"

QUBO, PRISMA AND ZEPHIRO
SCREWSSCREWS FOR 12CM POLE-CAP
WITH CROSS




LEGEND

1. CLIP RESIA, RIVA, RIVA JR. (PAG. 13)
2. POST CAP MONVISO (PAG. 7)
3. CLIP ROLLE, ROLLE2, SEW (PAG. 14)
4. CLIP MAGNUM, NIÑA (PAG. 15)
5. ANCORA.NET, STOP.NET (PAG. 19)




LEGEND

1. CLIP RESIA, RIVA, RIVA JR. (PAG. 13)
2. POST CAP RENO, POST CAP 12CM WITH CROSS, POST CAP SIMPLE (PAG. 8, 9, 10)
3. CLIP ROLLE, ROLLE2, NEEDLE (PAG. 14)
4. CLIP MAGNUM, NIÑA (PAG. 15)
5. ANCORA.NET, STOP.NET (PAG. 19)



LEGEND

1. 12 NAILS CLIP , CLIP ANCORPLACK2 (PAG. 15, 16)
2. POST CAP MONVISO, POST CAP SIMPLE (PAG. 7, 8)
3. CLIP MAGNUM, CLIP ANCORPLACK2 (PAG. 15, 16)



LEGEND

1. CLIP MAGNUM, NIÑA (PAG. 15) SPRING CATCH, BUNGEE (PAG. 15, 27)
2. POST CAP RENO, POST CAP 12CM WITH CROSS, POST CAP SIMPLE (PAG. 8, 9, 10)
3. CLIP ROLLE, ROLLE2, NEEDLE (PAG. 14)
4. CLIP MAGNUM, NIÑA (PAG. 15)
5. ANCORA.NET, STOP.NET (PAG. 19)

