

POST CAP PRISMA






FEATURES


- indicated for every kind of antihail system with concrete pole
- available both with or without screws
- it semplifies the mouting operations thanks to the screws in only 4 pieces

DIMENSIONS

• dimensions: 215x115x120 mm



COD.	DESCRIPTION	PACK	вох	PALLET
1807-1351	Post Cap Prisma 7x7 (no screws)	40	40	640
1807-1352	Post Cap Prisma 7x8 (no screws)	40	40	640
1807-1353	Post Cap Prisma 8x8,5 (no screws)	40	40	640
1807-1355	Post Cap Prisma 9x9 (no screws)	40	40	640
1807-1357	Screws for Prisma (4pcs.)	40	200	-
1807-0751	Mon-block (with nut and blot)	32	320	-
2008-0016	Special Nut M6 (optional)	32	32	-
2009-0156	Special screws 6x20 (optional)	32	32	-
2009-0182	Expansion anchor 6X30 MM	32	32	-
2009-0181	Galvanized Screw 4x40 MM	32	32	-
2003-0120	Collar 6x24 MM	32	32	-



FIXING OPTIONAL











POST CAP QUBO






FEATURES


- indicated for every kind of antihail system with concrete pole
- available both with or without screws
- it semplifies the mouting operations thanks to the screws in only 4 pieces
- 8.8 certified screws

DIMENSIONS

• dimensions: 160x115x120 mm



COD.	DESCRIPTION	PACK	вох	PALLET
1807-1301	Post Cap Qubo 7x7 (no screws)	64	64	1024
1807-1302	Post Cap Qubo 7x8 (no screws)	64	64	1024
1807-1321	Post Cap Qubo 8x8,5 (no screws)	64	64	1024
1807-1305	Post Cap Qubo 9x9 (no screws)	64	64	1024
1807-1322	Screws for Qubo (4pcs.)	64	256	-
1807-1326	Post Cap Qubo 10x12 (no screws)	45	45	720
1807-1327	Screws for Qubo10x12 (4pcs.)	45	225	-
1807-0751	Mon-block (with nut and bolt)	32	320	-
2008-0016	Special Nut M6 (optional)	32	32	-
2009-0156	Screw 6x20 (optional)	32	32	-
2009-0182	Expansion anchor 6X30 MM	32	32	-
2009-0181	Galvanized Screw 4x40 MM	32	32	-
2003-0120	Collar 6x24 MM	32	32	-



FIXING OPTIONAL











POST CAP ZEPHIRO






FEATURES


- Indicated for every kind of antihail system with concrete pole
- It semplifies the mounting operations thanks to the screws in only 4 pieces
- 8.8 certified screws


DIMENSIONS

• dimensions: 216x100x105 mm filo trasversale



COD.	DESCRIPTION	PACK	вох	PALLET
1807-1401	Post Cap Zephiro 7x7 (no screws)	32	32	768
1807-1402	Post Cap Zephiro 7X8 (no screws)	32	32	768
1807-1403	Post Cap Zephiro 8x8,5 (no screws)	32	32	768
1807-1422	Screws for Zephiro	32	320	-
1807-0751	Mon Block with nut and bolt	32	320	
2008-0016	Special Nut M6	32	32	-
2009-0156	Screw 6x20 (optional)	32	32	
2009-0182	Expansion anchor 6X30 MM	32	32	-
2009-0181	Galvanized Screw 4x40 MM	32	32	-
2003-0120	Collar 6x24 MM	32	32	-





FIXING OPTIONAL









COPRIPALO MONVISO





FEATURES

- indicated for every kind of hail system with concrete pole
- it semplifies the mounting operations thanks to the tab of the iron wire on the top
- it allows the mounting of the optional side protection to defend the net even later
- available both with screws for flat net and for "capannina"
- to avoid troubles when placing orders please write the name of the pole producer


DIMENSIONS


• dimensions: (7x7 - 7x8 - 8x8 - 8x8,5): 125x115x135 mm

• dimensions: (8,5x8,5 - 9x9): 150x130x140 mm

• dimensions: (10x12): 160x135x180 mm

125/160















2009-0156

2009-0182

2009-0181

2003-0120

FIXING OPTIONAL

(optional)

Special screws 6x20 (opt.)

Expansion anchor 6X30 MM

Galvanized Screw 4x40 MM

Collar 6x24 MM





32

32

32

32

32

32

32

32

(optional)





COPRIPALO TESTATA





FEATURES

- indicated for every kind of antihail system with concrete pole
- available both with or without screws


DIMENSIONS


• dimensions: 192x189x200 mm






COD.	DESCRIPTION	PACK	вох	PALLET
1807-0740	Post Cap 14x14 (no screws)	8	8	192
1807-0741	Screws (3pcs.)	8	8	4800











POST CAP LATINA






FEATURES


- Indicated for 32 mm arch covering systems
- it simplifies the mounting operations and system maintenance
- Available for concrete poles size 7x7 and 7x8
- Patented

DIMENSIONS

• Dimensions: 116x126x155mm

COD.	DESCRIPTION	PACK	BOX P	ALLET
1807-1502C	Post Cap Latina with screws (7x7 -7X8)	30	30	720
1808-1516	Reduction x Cap Latina and Latina Omega 25 m	m 30	30	720
1808-1511	Reduction x Cap Latina and Latina Omega 28 m	m 30	30	720
1808-0751	Mon block (with nut and bolt)	30	30	720









riduzione LATINA 28mm

POST CAP SPHERA





FEATURES

- Indicated for 32 mm arch covering systems
- It simplifies the mounting operations and system maintenance
- Available for concrete poles size 8x8 and 9x9
- It reduces the wind stresses thanks to its fixing system through a floating sphere
- Patented


DIMENSIONS


• Dimensions: 121x121x185mm

COD.	DESCRIPTION	PACK	вох	PALLET
1807-1501C	Cap Sphera with screws (8x8 and 9x9)	24	24	576
1807-0751	Mon block (with nut and bolt)	32	320	-











POST CAP LATINA OMEGA





CARATTERISTICHE

- Indicated for arch shaped systems from 32mm to 25 mm
- $\ensuremath{^{\bullet}}$ it simplifies the mounting operations and system maintenance
- Available for iron posts from 50 mm to 80 mm
- Patented

DIMENSIONS

• Dimensions: 107x125x159mm


COD.	DESCRIPTION	PACK	вох	PALLET
1807-1515C	Cap Latina-Omega with screws (post 50/80)	30	30	720
1808-1516	Reduction x Cap Latina and Latina Omega 25 n	nm250	250	6000
1808-1511	Reduction x Cap Latina and Latina Omega 28 n	nm400	400	9600
1808-0751	Mon block (with nut and bolt)	32	320	32000




LATINA reduction 25mm



LATINA reduction 28mm









POST CAP ECO 5x5 - 6x6






FEATURES


- Ideal for systems with concrete pole, pressure mounting
- It semplifies the mounting operations as it does not need ties. The wings on the top hold wires in different diameters.
- It does not alter the net links
- High resistance to weather distress

DIMENSIONS

- Dimensions (5x5): 87x100 mm
- Dimensions (6x6): 87x100 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1807-0312	Post Cap 5x5 ECO (black)	-	150	2400
1807-0312GR	Post Cap 5x5 ECO (gray)	-	150	2400
1807-0308	Post Cap 6x6 ECO (black)	-	150	2400
1807-0308GR	Post Cap 6x6 ECO (gray)	-	150	2400











FEATURES


- Ideal for systems with concrete pole, pressure mounting
- It semplifies the mounting operations as it does not need ties. The wings on the top hold wires in different diameters.
- It does not alter the net links
- High resistance to weather distress


DIMENSIONS

- Dimensions (7x7): 83x99mm
- Dimensions (9x9): 102x92mm

COD.	DESCRIPTION	PACK	вох	PALLET
1807-0311	Post Cap 7x7 ECO (black)	-	120	1920
1807-0310	Post Cap 9x9 ECO (black)	-	80	1280
1807-0311GR	Post Cap 7x7 ECO (gray)	-	120	1920
1807-0310GR	Post Cap 9x9 ECO (gray)	-	80	1280











POST CAP FIX





FEATURES

- Ideal for systems with concrete pole, pressure mounting and then tighten the clamp at the bottom side of the cap.
- It semplifies the mounting operations as it does not need ties. The wings on the top hold wires in different diameters.
- It does not alter the net links
- High resistance to weather distress


DIMENSIONS

• Dimensions (6x6): 99x100 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1807-0320	Post Cap Fix 6x6 (black)	-	135	2160
1807-0320GR	Post Cap Fix 6x6 (gray)	-	135	2160













- Ideal for systems with concrete pole, pressure mounting
- It semplifies the mounting operations as it does not need ties. The wings on the top hold wires in different diameters.
- It does not alter the net links
- High resistance to weather distress


DIMENSIONS


• Dimensions (6x6): 99x87x95mm





COD.	DESCRIPTION	PACK	вох	PALLET
1807-0307	Post Cap 6x6 AER (black)	-	150	2400
1807-0307GR	Post Cap 6x6 AER (grey)	-	150	2400







ANGULAR CAP FOR LARGE POSTS






FEATURES


- Ideal for systems with perimetral large posts
- It could be fastened on the post with pvc tube or iron wire
- It does not alter the net links
- High resistance to weather distress

DIMENSIONS

• Dimensions: 73x139x142 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1807-0203	Angular Cap		120	2880





. .

POST CAP RENO 10X10






FEATURES

- ${}^{\bullet}\,$ Ideal for systems with concrete posts, pressure mounting
- It simplifies the mounting operations thanks to the screws for the locking on the top longitudinal wires in various diameters.
- It does not alter the net links
- High resistance to weather distress

DIMENSIONS

• Dimensions: 130x180 mm



COD.	DESCRIPTION	PACK	вох	PALLET
1807-0908	Post Cap Reno 10x10	32	120	512



POST CAP RENO





FEATURES


- indicated for flat hail systems with wooden pole
- it simplifies the mounting operation thanks to the screws for the locking of the iron wire on the top longitudinal wire
- available both with screws for flat net and for "capannina" (single screw)
- it does not alter the net links
- 8,8 certified screws

DIMENSIONS

- Dimensions (10-12 cm): 130x180 mm
- Dimensions (14-16 cm): 180x220 mm



COD.	DESCRIPTION	PACK	вох	PALLET
1807-0903	Post Cap Reno Ø 10cm	32	32	512
1807-0901	Post Cap Reno Ø 12cm	32	32	512
1807-0906	Post Cap Reno Ø 14cm	16	16	256
1807-0904	Post Cap Reno Ø 16cm	32	32	512
1807-0744	Double screws (10pcs.)	32	128	-
1807-0730	Capannina screws (4pcs.)	32	320	-





POST CAP 4 AND 12 CM WITH CROSS





FEATURES

- indicated with every kind of hail system with wooden pole
- it simplifies the mounting operation thanks to the screws for the locking of the iron wire
- it does not alter the net links of the top

DIMENSIONS


• Dimensions: 125x130 mm


• Dimensions: 52x78 mm





COD.	DESCRIPTION	PACK	вох	PALLET
1807-0512	Post Cap Ø 12cm	200	200	3200
1807-0601	Screws for Post Cap with cross	200	200	6000
1807-0504	Post Cap Ø 4cm with cross (no screw)	500	500	12000







ROUND POST CAP





FEATURES

- ideal for systems with wooden pole
- it does not alter the net links
- high resistance to weather distress


DIMENSIONS

• Dimensions: from 60mm to 160mm





COD.	DESCRIPTION	PACK	вох	PALLET
1807-0106	Post Cap Ø 6cm (black)	-	1000	16000
1807-0108	Post Cap Ø 8cm (black)	-	700	11200
1807-0110	Post Cap Ø 10cm (black)	-	500	8000
1807-0112	Post Cap Ø 12cm (black)	-	300	4800
1807-0114	Post Cap Ø 14cm (black)	-	250	4000
1807-0116	Post Cap Ø 16cm (black)	-	200	3200
1807-0108GR	Post Cap Round Ø 8cm (grey)	-	700	11200
1807-0110GR	Post Cap Round Ø 10cm (grey)	-	500	8000
1807-0112GR	Post Cap Round. Ø 12cm (grey)	-	300	4800
1807-0114GR	Post Cap Round Ø 14cm (grey)	-	250	4000





UNIVERSAL POST CAP





FEATURES

- indicated for every kind of hail system with wooden pole or recovery pole
- $\ensuremath{^{\bullet}}$ it simplifies the mounting operation thanks to its adaptability to
- different pole diameters
- it does not alter the net links


DIMENSIONS

- Dimensions (6-10 cm): 120x110 mm
- Dimensions (18-21 cm): 220x180 mm





COD.	DESCRIPTION	PACK	вох	PALLET
1807-0201	Universal Post Cap Ø 6/10cm	500	500	8000
1807-0202	Universal Post Cap Ø 18/21cm	50	50	800





POST CAP FG 40-60-65





FEATURES


- indicated for the systems with iron pole
- it simplifies the mounting operation thanks to the screws for the locking of the iron wire on the top and the transverse wire
- available both with screws for flat net and for "capannina"
- it does not alter the net links
- 8 certified screws


DIMENSIONS

• Dimensions: 100x120 mm









COD.	DESCRIPTION	PACK	вох	PALLET
1807-1103	Post Cap FG40	64	64	1536
1807-1108	Post Cap FG50/80	64	64	1536
1807-1105	Post Cap FG60	64	64	1536
1807-1107	Post Cap FG65	64	64	1536
1807-0744	Double screws (10pcs.)	32	128	-
1807-0730	Capannina screws (4pcs.)	32	320	-





POST CAP CHAMPIGNON AND TERMINAL BOARD







FEATURES

- indicated for the systems with iron pole
- it simplifies the mounting operation thanks to the screws for the locking of the iron wire on the top and the transverse
- available both with screws for flat net and for "capannina"
- it does not alter the net links
- 8 certified screws


DIMENSIONS

- Dimensions (cp): 120x70x38 mm
- Dimensions (base): 120x70 mm 193x160mm












COD.	DESCRIPTION	PACK	вох	PALLET
1807-1001	Post Cap Champignon	200	200	4800
1807-1002	Terminal board for Metal Pole 100	200	200	3200
1807-1005	Terminal board for Metal Pole 180	50	50	800





Post Cap Champignon





Sideburn for Metal Pole 100





Sideburn for Metal Pole 180



CLIP START





FEATURES


- ideal for tensioning the net at the beginning and the end of the row
- high resistance to weather distress
- 4 special screws included in the Box
- it can be open by a single hand
- reopenable
- high breaking load
- composed by 4 pieces




DIMENSIONS

• Dimensions: 108x84mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-1201 Clip Start		50	50	2400
1902-0531 Asola 30		50	50	2400








CLIP RIVA - RIVA JR.










FEATURES

- perfect for the sewing of the central row
- high resistance to weather distress
- it can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- composed by 4 pieces

DIMENSIONS

• Dimensions: 54x33 mm / 74x40 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0901 Clip Riva		200	200	4800
1702-1001 Clip Riva JR.		400	400	9600



CLIP RANIA





FEATURES


- perfect for the sewing of the central row (flat)
- high resistance to weather distress
- it can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- composed by 4 pieces

DIMENSIONS

• Dimensions: 92x66mm


COD.	DESCRIPTION	PACK	вох	PALLET
1702-1102 Clip Ra	ınia	150	150	3600





CLIP RESIA





FEATURES


- perfect for the sewing of the central row
- high resistance to weather distress
- it can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- high breaking load
- composed by 4 pieces

DIMENSIONS

• Dimensions: 100x40 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0103 Clip Resia		200	200	4800





CLIP NEW RESIA





FEATURES


- perfect for the sewing of the central row
- high resistance to weather distress
- It can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- high breaking load
- composed by 4 pieces

DIMENSIONS

• Dimensions: 100x40 mm

	COD.	DESCRIPTION	PACK	вох	PALLET
1702-0105 Clip New Resia		150	150	3600	





CLIP ROMA



FEATURES


- perfect for the sewing of the central row (flat)
- high resistance to weather distress
- it can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- composed by 4 pieces


DIMENSIONS

• Dimensions: 83x40 mm



COD.	DESCRIPTION	PACK	вох	PALLET
1702-1101 Clip Roma		200	200	4800







CLIP ROLLE





FEATURES


- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress
- high mounting speed thanks to the click points

DIMENSIONS

• Dimensions: 110x11 mm (ROLLE)

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0801 Clip Rolle		400	2000	32000





CLIP NEW ROLLE





FEATURES


- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress
- high mounting speed thanks to the click points

DIMENSIONS

• Dimensions: 95x100 mm (NEW ROLLE)

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0809 Clip New Rolle		250	750	18000





CLIP ROLLE 2






FEATURES


- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress
- high mounting speed thanks to the click points
- extendable by tools, it can be recovered by tools
- with tool

DIMENSIONS

• Dimensions: 100x21 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0802 Clip Rolle 2		200	800	12800





CLIP AGROPETTINE





FEATURES

- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress
- high mounting speed thanks to the click points


DIMENSIONS


• Dimensions: 86x14 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0407 Clip Agropettine		2000	2000	32000











SEWING NAIL





FEATURES

- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress

DIMENSIONS

• Dimensions: 110x11 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1705-0302 Needle sew in galvanized iron		2000	2000	100000
1705-0201 Need	lle sew extra in PA-FV	250	6000	144000





CLIP NIÑA





FEATURES


- perfect to stretch the net with elastic and shadows
- high resistance to weather distress
- it can have a pressure fixing on the net
- high mounting speed thanks to the click points
- perfect for all types of net

DIMENSIONS

• Dimensions: 78x45 mm


	COD.	DESCRIPTION	PACK	вох	PALLET
1702-0505 Clip Niña		250	1000	24000	





CLIP 12 AND 50 POINTS






FEATURES

- perfect to stretch the net with elastic and shadows
- high resistance to weather distress
- it can have a pressure fixing on the net
- perfect for all types of net

DIMENSIONS

Dimensions: 138x57mmDimensions: 110x35mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0402 Clip 1	2 points	250	1500	24000
1702-0408 Clip 5	0 points	250	800	12800



CLIP MAGNUM





FEATURES


- perfect to stretch the net with elastic, for windbreak systems and shadows
- high resistance to weather distress
- it can have a pressure fixing on the net
- high mounting speed thanks to the click points
- perfect for all types of net

DIMENSIONS

• Dimensions: 113x45 mm

	COD.	DESCRIPTION	PACK	вох	PALLET
1702-0501 Clip Magnum PA		200	800	12800	









CLIP ANCORPLACK





FEATURES


- perfect for windbreak and shadow nets
- high resistance to weather distress
- $^{\bullet}\,$ it can be anchored directly on the wire thanks to the hook located on the upper side
- it can be fixed directly on the pressure net thanks to 2 click points
- perfect for all types of net

DIMENSIONS

• Dimensions: 50x45 mm


COD.	DESCRIPTION	PACK	вох	PALLET
1702-0201 Clip Ancorplack		500	2500	40000





CLIP ANCORPLACK 2





FEATURES


- perfect for wind break and shadow nets
- high resistance to weather distress
- it can be anchored directly on the wire thanks to the hook located on the upper side
- it can be fixed directly on the pressure net thanks to click points
- perfect for all types of net

DIMENSIONS

• Dimensions: 130x42 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0204 Clip Ancorplack 2		100	400	9600





CLIP 2 POINTS





FEATURES


- high resistance to weather distress
- it can have a pressure fixing thanks to 2 click points
- perfect for all types of net


DIMENSIONS

• Dimensions: 53x45 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0301 2 po	ints clip (black)	500	3000	48000
1702-0302 2 po	ints clip (green)	500	3000	48000







CLIP K4 - K10








- high resistance to weather distress
- it can be anchored directly on the wire thanks to the hook located on the upper side
- it can be fixed directly on the pressure net thanks to 4 click points
- perfect for all types of net


DIMENSIONS

- Dimensions: 53x55mm (K4)
- Dimensions: 63x70mm (K10)

	COD.	DESCRIPTION	PACK	вох	PALLET
	1702-0210 Clip K4		250	1000	24000
1702-0211 Clip K10 + hook without security fl ap		500	500	12000	
	1702-0212 Clip k10 + h	nook with security fl ap	500	500	12000









CLIP H






CARATTERISTICHE

• Ideal for anti-insect, shades/privacy systems

DIMENSIONS

• Dimensions: 55x34 mm - hole 11 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0507 Clip H		250	1000	24000



RING CLIP





FEATURES


- It protects the net from wearing and tearing
- It can have a pressure fixing on the net
- Perfect for all types of net
- Perfect for antifrost and irrigation systems

DIMENSIONS

• Dimensions: 110 mm - hole 45 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0701 Ring clip		150	750	12000







FILM.NET JOINER CLIP






FEATURES


- perfect for matching, linking and fixing nets
- high resistance to weather distress
- it can have a pressure fixing
- it perfectly connects 2 overlapped nets
- perfect for all kinds of net


DIMENSIONS

• Dimensions: 82x27 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0602 Film.Net joiner clip		500	3000	48000







ANCORA.NET






FEATURES


- perfect for the winter closing of nets
- high mounting speed
- practical and cheap
- when opening the nets you do not have to remove any element of the system

DIMENSIONS

- Dimensions: 500 mm (tie rodhook)
- dimesioni: 37x39 (hook)









STOP.NET






FEATURES

- perfect for the winter closing and sewing of nets
- high mounting speed thanks to 6 points
- when opening the nets you do not have to remove any element of the system

DIMENSIONS

• Dimensions: 100x14 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1802-0405	Stop.NET (A+H)	250	750	12000
1802-0401	Tie Rodhook Net (A)	250	1250	30000
1702-0803	Rolle NET (H)	250	1250	20000





STOP.NET 2






FEATURES

- perfect for the winter closing and sewing of nets
- high mounting speed thanks to 6 points
- when opening the nets you do not have to remove any element of the system

DIMENSIONS

• Dimensions: 104x21 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1802-0407	Stop.NET 2	250	500	8000
1802-0401	Tirante NET (A)	250	1250	30000
1702-0806	Rolle2 NET	250	750	12000










- perfect for anchoring wired caps and plastic film, particularly indicated for antirain systems
- high resistance to weather distress
- reopenable
- easy to install


DIMENSIONS

• Dimensions: 38x34mm - 48x34mm - 77x48mm

	COD.	DESCRIPTION	PACK	вох	PALLET
1803-0115 Oval Carabiner 30mm		2500	2500	120000	
1803-0114 Oval Carabiner 40mm STANDARD		2000	2000	96000	
	1803-0111 Oval Carabin	er 75mm	500	3000	72000







MORSA 100





FEATURES


- perfect for anchoring nets and plastic film, particularly indicated for anti rain system
- high resistance to weather distress
- perfect for all type of nets and films
- 2 special self-tapping screws included in the Box


DIMENSIONS


• Dimensions: 104x41mm - 100x35mm

COD.	DESCRIPTION	PACK	вох	PALLET
1701-0313 CLIP	MORSA 100 with eyelet + 2 screws	250	250	6000
1701-0313 CLIP	MORSA 100 TRX + 2 SCREWS	250	250	6000
1701-0316 CLIP	MORSA 100 Hook + sec. Flap + 2 screws	250	250	6000
1701-0310 CLIP	MORSA 100 for the top + 2 screws	125	125	6000


MORSA 100 WITH EYELETS MORSA 100 FOR THE TOP








MORSA 100 GN







CLIPS MORSA 70







FEATURES

- perfect for anchoring nets and plastic film, particularly indicated for anti rain system
- high resistance to weather distress
- it can be anchored directly to the wire or the BUNGEE
- special self-tapping screw included in the Box
- perfect for all types of films of any thickness

DIMENSIONS

• Dimensions: 70x40mm





COD.	DESCRIPTION	PACK	вох	PALLET
1701-0303	CLIP MORSA 70 WITH HOOK WITH SECURITY FLAP + SCREW	500	500	12000
1701-0304	CLIP MORSA 70 WITH HOOK WITHOUT SECURITY FLAP + SCREW	500	500	12000
1701-0302	CLIP MORSA 70 WITH EYELET + SCREW	500	500	12000





1701-0304



1701-0303



CLIPS MORSA 50






FEATURES


- perfect for anchoring nets and plastic film, particularly indicated for anti rain system
 high resistance to weather distress
- It can be easily tensioned thanks to the top loop
- Special self tapping screw included in the box
- perfect for all types of films of any thickness

DIMENSIONS

• Dimensions: 50x29mm



COD.	DESCRIPTION	PACK	вох	PALLET
1701-0307	CLIP MORSA 50 with hook without security fl ap + screw	250	750	18000
1701-0308	CLIP MORSA 50 with hook with security fl ap + screw	250	750	18000







1701-0308

1701-0307



STOP.FILM 70






FEATURES

- perfect for anchoring nets and plastic film, particularly indicated for rain systems
- high resistance to weather distress
- special self-tapping screw included in the Box

DIMENSIONS

• Dimensions: 70x40mm



COD.	DESCRIPTION	PACK	вох	PALLET
1802-0409 STOP.FILM70 (A+L)		250	250	6000
1802-0401 TIES-ROD NET (A)		250	1250	30000
1701-0314 CLIP MORSA 70 FOR TIES-RODS + SCREW (L)		250	500	12000















STOP.FILM 50






FEATURES

- perfect for anchoring nets and plastic film, particularly indicated for rain systems
- high resistance to weather distress
- $^{\bullet}\,$ special self-tapping screw included in the Box

DIMENSIONS

• Dimensions: 50x27mm



COD.	DESCRIPTION	PACK	вохі	PALLET
1802-0408 STOP.FILM50 (A+I)		250	500	12000
1802-0401 TIES-ROD NET (A)		250	1250	30000
1701-0306 CLIP MORSA 50 FOR TIES-RODS + SCREW (I)		250	1250	30000















CLIPS MORSA 40





FEATURES


- perfect for anchoring nets and plastic film, particularly indicated for rain systems
- high resistance to weather distress
- It can be easily tensioned thanks to the top loop
- Special self tapping screw included in the box
- Perfect for all types of films of any thickness

DIMENSIONS

• Dimensions: 27x42mm

COD.	DESCRIPTION	PACK	вох	PALLET
1701-0301 CLIP N	IORSA 40 + screw	500	2000	48000





OMEGA PLIER





FEATURES


- perfect for anchoring nets and plastic films on a wire
- high resistance to weather distress
- fast and trigger mounting
- recoverable
- suitable for wires from 2.5mm to 4.0mm




DIMENSIONS

• Dimensions: 43x36mm (OMEGA)

COD.	DESCRIPTION	PACK	вох	PALLET
1701-0202 OME	GA PLIER (WHITE)	500	2000	48000







SAFETY BAND 70






FEATURES


- Perfect for anchoring nets and plastic films on a wire
- Perfect for 3,5-7 mm wires
- High resistance to weather distress
- Reopenable

DIMENSIONS

• Dimensions: 44x70mm









SAFETY BAND 50






- Perfect for anchoring nets and plastic films on a wire
- Perfect for 3-6 mm wires
- High resistance to weather distress
- Reopenable

DIMENSIONS

• Dimensions: 40x50mm







COD.	DESCRIPTION	PACK	вох	PALLET
1701-0103 SAF	ETY BAND 50	250	1000	24000

BUTTERFLY HOOK






CARATTERISTICHE

- perfect for anchoring nets and plastic film, particularly indicated for rain systems
- Ideal for tensioning nets in center row
- high resistance to weather distress

DIMENSIONS

• Dimensions: 132x45mm





COD.	DESCRIPTION	PACK	вох	PALLET
1804-0502 BU	TTERFLY HOOK	500	500	24000



SELF LOCKING SPRING CATCH





FEATURES

- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- extreme resistance to traction
- recoverable
- it locks the BUNGEE without a knot

DIMENSIONS

• Dimensions: 27x65mm



COD.	DESCRIPTION	PACK	вох	PALLET
1803-0104 SELF L	OCKING SPRING CATCH	500	2000	48000

SELF LOCKING SPRING CATCH ELEPHANT





FEATURES

- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- extreme resistance to traction
- recoverable
- hook with push bolt for a high security
- it locks the BUNGEE without a knot

DIMENSIONS

• Dimensions: 27x65mm



COD.	DESCRIPTION	PACK	вох	PALLET
1803-0108 MOS	SCH. AUTOBL. ELEFANTE	500	2000	48000

MOUNTING



PREMOUNTING SPRING CATCH







FEATURES

- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- extreme resistance to traction
- recoverable

DIMENSIONS

• Dimensions: 30x64mm





31

COD.	DESCRIPTION	PACK	вох	PALLET
1803-0105	PREMOUNTING SPRING CATCH	500	2500	60000

PREMOUNTING SPRING CATCH ELEPHANT





FEATURES

- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- extreme resistance to traction
- recoverable
- hook with push bolt for a high security

DIMENSIONS

• Dimensions: 31x65mm





COD.	DESCRIPTION	PACK	вох	PALLET
1803-0106 Prem	ounting spring catch elephant	500	2000	48000

STANDARD AND METALLIC SPRING CATCH





FEATURES STANDARD

- perfect for anchoring film and nets with eyelets or clips
- perfect for 4-6mm ropes
- high resistance to weather distress
- recoverable
- Dimensions: 23x51mm

FEATURES METALLIC

- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- recoverable
- Dimensions: 28x62mm

51		
	-	23
	3	
		(G)

STANDARD SPRING CATCH

3	
NACTALLI	

3	62	
METALLIC GAL SPRING CA		ZED

COD.	DESCRIPTION	PACK	вох	PALLET
1803-0202 STAN	DARD SPRING CATCH	500	4000	96000
1803-0107 META	LLIC GALVANIC SPRING CATCH	500	2500	48000



ANCORA.30





FEATURES

• Adjustable PVC tie rod with spring catch

DIMENSIONS

• Dimensions: 27x300mm

COD.	DESCRIPTION	PACK	вох	PALLET
1803-0109	Spring catch self-locking for rope 30cm	500	2000	48000
1803-0113	Spring catch eleph. self-locking for rope 3	0cm500	2000	48000
1802-0203	Rope 30cm PVC (grey)	500	2000	48000





PREMOUNTED ELASTIC







- Bungee 8 mm black
- All the sizes available upon request
- Supplied with plastic or metallic spring catch

COD.	DESCRIPTION	PACK	вох	PALLET
1902-02	PRE-MOUNTED ELASTIC WITH 2 SPRING CATCH (DIFFERENT SIZES UPON REQUEST)	-	100	2400
2023				
2024	-			
2025	The colour indicator changes yearly sl period of production.	nowing the		
2026	period of production.			



BALL WITH ELASTIC









FEATURES

- Perfect for the winter closing of the nets
- practical and cheap

DIMENSIONS

- Dimensions: 200 250 350mm
- Dimensions (ball): Ø 29mm





COD.	DESCRIPTION	PACK	вох
1902-0502	BALL WITH ELASTIC 20CM	-	500
1902-0503	BALL WITH ELASTIC 30CM	-	500
1902-0508	BALL WITH ELASTIC 35CM	-	500
1802-0502	BALL FOR ELASTIC	500	3000



AMO HOOK






FEATURES

- perfect for anchoring "ground cover" and eyelet plastic films
- indicated for anti rain system
- high resistance to weather distress
- extreme resistance to traction

DIMENSIONS

• Dimensions: 78x38mm



AMO HOOK



AMO HC



COD.	DESCRIPTION	PACK	вох	PALLET
1804-0406 A	мо ноок	500	3000	72000
1804-0411 A	мо ноок ѕ	1500	1500	36000

ROPE PET





FEATURES

- Perfect for all type of anchoring
- Realized in braided PET
- rope clip, avoids having to tie knots

COD.	DESCRIPTION	PACK	вох	PALLET
1902-0402 Rope	PET 3,5MM	вов.	500MT	96
1902-0403 Rope	PET 5,0MM	вов.	200MT	60

FIXING CLIP







FEATURES

Avoid making knots on the rope

DIMENSIONS


• Dimensions: 54x21mm

	54	17
56		
,		4

COD.	DESCRIPTION	PACK	вох	PALLET
1701-0401 Fixing	Clip+Screw	9000	2000	48000

SPIDER





FEATURES

- Ideal for anti-rain systems
- SPIDER: composed by: 4 Elefant spring catch, 2 pieces of 8 mm Pet Bungee and 1 metal
 50 mm
- SPIDER SPECIAL: composed by: 4 Elefant spring catch, 2 pieces of 8 mm Pet Bungee, 1 metal ring 50 mm, 1 metallic spring catch and 2 M of cord size 5mm.

COD. DESCRIPTION	PACK	вох ра	LLET
1902-0804 ACCESSORY "SPIDER120"	-	50	-
1902-0805 ACCESSORY "SPIDER150"	-	50	-
1902-0806 ACCESSORY "SPIDER120" SPECIAL*	-	50	-
1902-0807 ACCESSORY "SPIDER150" SPECIAL*	-	50	-
1902-0812 ACCESSORY "SPIDER120" - ECOGREEN	-	50	-
1902-0813 ACCESSORY "SPIDER150" - ECOGREEN	-	50	-
1902-0814 ACCESSORY "SPIDER120" SPECIAL - ECOGREEN	-	50	-
1902-0810 ACCESSORY "SPIDER120" SPECIAL - ECOGREEN	-	50	-





FEATURES

- Ideal for table grape systems
- Fast fixing on protective covers
- It does not alter net or cover
- high resistance to weather distress

DIMENSIONS

• Dimensions: 36x19mm

• tie rod size: 310mm

COD.	DESCRIPTION	PACK	вох	PALLET
1802-0410	Colibri PVC chain	250	2000	48000
1802-0411	Colibri Hook	250	4000	96000
1802-0410	Colibri complete (hook+chain)	250	1500	36000





SUPPORT BAR 165






FEATURES

- perfect for the anchoring of 2 wires on a wooden or concrete pole
- to be anchored on the post through a screw or a metallic wire

DIMENSIONS

• Dimensions: 163x22mm

COD.	DESCRIPTION	PACK	вох	PALLET
1805-0301	SUPPORT BAR 165 MM*	250	750	18000



* cavallotto non incluso



SUPPORT BAR 300






- perfect for the anchoring of 2 wires on a wooden or concrete pole
- to be anchored on the post through a screw or a metallic wire


DIMENSIONS

• Dimensions: 300x22mm



COD.	DESCRIPTION	PACK	вох	PALLET
1805-0308	SUPPORT BAR 300 MM*	300	300	14400





SUPPORT BAR 500






- perfect for the anchoring of 2 wires on a wooden or concrete pole
- to be anchored on the post through a screw or a metallic wire

DIMENSIONS

Dimensions: 500x22n



COD.	DESCRIPTION	PACK	вох	PALLET
1805-0309	SUPPORT BAR 500 MM*	150	150	7200





SINGLE HOOK





FEATURES

- perfect for the anchoring of a wire on a wooden or concrete pole
- to be anchored on the post through a screw or a metallic wire


DIMENSIONS

• Dimensions: 40x10mm

COD.	DESCRIPTION	PACK	вох	PALLET
1805-0101	SINGLE HOOK*	1000	10000	240000
	* screw not included	11	40	<u>0</u>

DOUBLE HOOK





FEATURES

- perfect for the anchoring of a wire on a wooden or concrete pole
- to be anchored on the pole through a screw or a metallic wire
- supplied with double post to hold the wire in case of slope changing

DIMENSIONS

• Dimensions: 57x19mm

COD.	DESCRIPTION	PACK	вох	PALLET
1805-0201	DOUBLE HOOK*	1000	5000	120000
GO	* screw not included	57	14	19

SUPPORT BAR 75





* screw+nut not included




FEATURES

- perfect for the anchoring of 2 wires on a wooden or concrete pole
- to be anchored on the post through a screw or a bolt

DIMENSIONS

• Dimensions: 84x20mm

COD.	DESCRIPTION	PACK	вох	PALLET
1805-0302	SUPPORT BAR 75 MM*	250	3000	72000







ENOKIT





FEATURES

- Ideal for antihail systems on espalier vineyard
- Composed by 6 elephant self locking spring catches and 3 pieces of 8 mm elastic, 60 cm long

COD.	DESCRIPTION	PACK	вох	PALLET
1902-0821 ENOKIT		-	50	1200

ENOLEGO






FEATURES

- Ideal for antihail systems on espalier vineyard
- Length 24CM

COD.	DESCRIPTION	PACK	вох	PALLET
1902-0822 ENOLEGO		500	2000	48000
	244			



CROSS-STOP





FEATURES

- perfect for anchoring caps and nets on a tubular
- perfect for greenhouses
- high resistance to weather distress
- screw mounting; recoverable

DIMENSIONS

• Dimensions: 22x25mm – 30x35mm – 40x40mm

COD.	DESCRIPTION	PACK	вох	PALLET
1806-0121	Cross Stop for wire 1,5-2,5MM	1000	2000	48000
1806-0130	Cross Stop for wire 2,5-4,0MM	100	1000	24000
1806-0140	Cross Stop for wire 4,0-10MM	250	500	12000
1806-0221	Cross Stop for wire 1,5-2,5MM sliding	1000	2000	48000
1806-0230	Cross Stop for wire 2,5-4,0MM sliding	100	1000	24000



CLIPS FOR IRRIGATION PIPE






FEATURES

- perfect for anchoring the dropping wing on the tutor wire
- perfect for vineyard and groves
- high resistance to weather distress
- trigger mounting
- recoverable

COD.	DESCRIPTION	PACK	вох	PALLET
1704-0216 CLIP F	OR IRRIG. PIPE 16MM	250	3000	72000
1704-0220 CLIP F	FOR IRRIG. PIPE 20MM	250	2500	60000
1704-0225 CLIP F	FOR IRRIG. PIPE 25MM	250	1500	36000
1704-0232 CLIP F	OR IRRIG. PIPE 32MM	250	1250	30000

HOOK FOR IRRIGATION PIPE





FEATURES

- perfect for anchoring the dropping wing on the tutor wire
- perfect for vineyard and groves
- high resistance to weather distress
- trigger mounting
- recoverable
- a drop break profile is in the down side

DIMENSIONS

• altezza: 50, 58, 90, 115mm

COD.	DESCRIPTION	PACK	вох	PALLET
1804-0303 Shor	t hook for irrigation pipe 16MM	500	5000	120000
1804-0304 Long	hook for irrigation pipe 20MM	500	4000	96000
1804-0301 Long	hook for irrigation pipe 16MM	500	3000	72000
1804-0302 Long	hook for irrigation pipe 20MM	500	2500	60000

DOUBLE HOOK





FEATURES

- perfect for anchoring the drooping wing on the ground
- perfect for vineyards and orchard
- high resistance to weather distress
- one model for 16 and 20MM wing

DIMENSIONS

• Dimensions: 170x20mm

COD.	DESCRIPTION	PACK	вох	PALLET
1804-0401 DOUBLE HOOK FOR IRRIG. 16-20MM		250	500	24000



REVERSE HOOK IN PVC





FEATURES

- indicated for stretching 2 wind break nets
- high resistance to weather distress
- used in the tent for grape

DIMENSIONS

• Dimensions: 50x11mm

COD.	DESCRIPTION	PACK	вох	PALLET
1804-0501	REVERSE HOOK IN PVC	1000	10000	240000

REVERSE HOOK AND REVERSE HOOK XL





FEATURES

- indicated for stretching 2 windbreak nets
- high resistance to weather distress
- used in the tent for grape

DIMENSIONS

Dimensions: 50x11mmDimensions: 58x15mm

COD.	DESCRIPTION	PACK	вох	PALLET
1804-0601	IRON REVERSE HOOK	-	1000	100000
1804-0602	IRON REVERSE HOOK XL	-	1000	100000

CLIPS FOR GREENHOUSES





FEATURES

- clips for anchoring the film on the tubular for greenhouses
- material: PVC printed
- boxaging: Pack
- high resistance to weather distress

COD.	DESCRIPTION	PACK	вох	PALLET
1704-0115	CLIPS FOR GREENHOUSES Ø 15MM	250	3500	84000
1704-0120	CLIPS FOR GREENHOUSES Ø 20MM	250	3000	72000
1704-0125	CLIPS FOR GREENHOUSES Ø 25MM	250	2500	60000
1704-0130	CLIPS FOR GREENHOUSES Ø 30MM	250	2000	48000
1704-0135	CLIPS FOR GREENHOUSES Ø 35MM	250	1500	36000
1704-0140	CLIPS FOR GREENHOUSES Ø 40MM	250	1000	24000



с ноок







- indicated for anchoring 1 or 2 nets
- used in vineyard to keep 2 wires near
- high resistance to weather distress

DIMENSIONS

• Dimensions: 15x55mm - 20x120mm

COD.	DESCRIPTION	PACK	вох	PALLET
1804-0102	C HOOK WITH TAIL	1000	10000	240000
1804-0104	C HOOK WITHOUT TAIL	1000	10000	240000
1804-0105	C HOOK NO TAIL XL	500	4000	96000

SEWING NAIL





FEATURES

- indicated for the net sewing olive harvest
- high resistance to weather distress
- recoverable

DIMENSIONS

• Dimensions: 110mm

COD.	DESCRIPTION	PACK	вох	PALLET
1705-0202	SEWING NAIL BLACK	250	7500	180000
1705-0203	SEWING NAIL YELLOW	250	7500	180000



NAIL STOP NET





- high resistance to weather distress
- hammering
- recoverable

DIMENSIONS

- Dimensions: 110, 150, 200mm
- head diameter: 22, 45mm

COD.	DESCRIPTION	PACK	вох	PALLET
1705-0101	NAIL WITH TONGUES 11CM	200	3000	72000
1705-0106	NAIL 15CM	100	700	16800
1705-0104	NAIL 20CM	100	500	12000
1705-0402	NAIL STOP T. BOMB - 15 CM	100	700	1800
1705-0401	NAIL STOP T. BOMB - 20 CM	100	500	12000







S HOOK VIGNOLA - S IRON HOOK





FEATURES

- indicated for anchoring 1 or 2 nets
- high resistance to weather distress

DIMENSIONS

- Dimensions: 23x46mm (VIGNOLA)
- Dimensions: 24x50mm (IRON)

COD.	DESCRIPTION	PACK	вох	PALLET
1804-0409	HOOK "VIGNOLA"	1000	8000	192000
1804-0205	S IRON HOOK	1000	1000	100000



HOOK FOR EYELET - S HOOK





FEATURES

- indicated for anchoring the drilled and/or eyelet cap to a wire
- high resistance to weather distress

DIMENSIONS

- Dimensions: 19x39mm
- Dimensions: 22x40mm

COD.	DESCRIPTION	PACK	вох	PALLET
1804-0402 HO	OK FOR EYELET – LARGE	1000	8000	192000
1804-0403 HO	OK FOR EYELET – SMALL	1000	8000	192000
1804-0202 S H	OOK	1000	10000	240000

ANTI TEAR WASHER





FEATURES

• indicated for fixing nets and films through a screw

DIMENSIONS

• Dimensions: Ø 22mm

COD.	DESCRIPTION	PACK	вох	PALLET
1703-0102 PVC	ANTI TEAR WASHER		1000	24000



BAND LEGO





FEATURES

- indicated for anchoring a plant to a tutor
- used mainly in spurred cordon vineyards
- it allows the growing of the plant without causing the choking
- extendable

COD.	DESCRIPTION	PACK	вох	PALLET
2202-0219	LEGO BAND 19 CM	500	5000	120000
2202-0226	LEGO BAND 26 CM	500	4000	96000
2202-0239	LEGO BAND 39 CM	200	2000	48000

BAND GUYOT





FEATURES

- indicated for anchoring a plant to a tutor
- used mainly in spurred cordon vineyards
- it allows the growing of the plant without causing the choking
- extendable

COD.	DESCRIPTION	PACK	вох	PALLET
2202-0301	GUYOT BAND 12 CM	1000	8000	192000



BAND W





FEATURES

- indicated for anchoring the shoot to the tutor wire yearly
- used mainly for kiwi systems
- high resistance to weather distress

COD.	DESCRIPTION	PACK	BOX PALLET
2201-0304 W22 H	look (cm 6,5 yellow) for diam. 2,0 – 2,2 mm	2000	14000 336000
2201-0304 W30 H	look (cm 6,5 orange) for diam. 2,4 – 3,0 mm	2000	14000 336000
2201-0304 W35 H	look (cm 6,5 black) for diam. 2,5 – 3,5 mm	1000	10000 240000





HOOK B1-B2





FEATURES

- indicated for anchoring the plant stock to the tutor wire
- used in grooves
- it allows the growing of the plant without causing the choking
- recoverable
- pliers available upon request to ease the mounting

DIMENSIONS

- Dimensions: 15x150 mm
- Dimensions: 15x188 mm

COD.	DESCRIPTION	PACK	вох	PALLET
2201-0401	Hook B1 for 2,2 - 3,0 MM wire	500	3000	72000
2201-0402	Hook B2 for 2,2 - 3,0 MM wire	500	2000	48000
2201-0403	Gripper for mounting the Hook B2	1	4	-



__ 188 MM ___



PVC BAG







FEATURES

- indicated for anchoring the plant stock to the tutor wire
- good resistance to traction and knot
- practical and cheap

COD.	DESCRIPTION	PACK	вох	PALLET
1901-0260 PVC B	elt-hanging disposable bag 2,0MM	1 KG	15	600KG
1901-0120 PVC B	elt-hanging disposable bag 3,0MM	1 KG	15	600KG
1901-0130 PVC B	elt-hanging disposable bag 6,0MM	1 KG	15	600KG
1901-0501 PVC S	kein 5,5MM Red	1 KG	15	600KG

POLYESTER WIRE





FEATURES

- minimum elasticity
- it does not conduct electricity
- in the laying it must be stretched for about 1,5%
- wide range of elements for the laying on pg. 43
- used in vines and greenhouses

COD.	DESCRIPTION	PACK	вох	PALLET
2101-0201 PET 2	2,2 MM black (180MT/KG)	вов.	10KG	60
2101-0301 PET 2	2,6 MM black (130MT/KG)	BOB.	10KG	60
2101-0401 PET 3	3,0 MM black (100MT/KG)	BOB.	10KG	60
2101-0701 PET 3	3.5 MM NERO (70MT/KG)	вов.	10KG	60



METAL RING - U METAL





FEATURES

- ideal to fix the net at the start/end of the raws
- practical and economical

COD.	DESCRIPTION	PACK	вох	PALLET
2011-0011	METAL RING Ø 80MM	-	50	-
2006-0037	METAL RING Ø 50MM	-	50	-

U METAL





FEATURES

• indicated for concrete posts

	PALLET
30	-
30	-
30	-
	30 30

CLAMP - CARABINER





FEATURES

• ideal to fix wire or rope

COD.	DESCRIPTION	PACK	вох	PALLET
2011-0006	CLAMP FOR WIRE 6 - 8MM	-	70	-
2011-0005	CLAMP FOR WIRE 4 - 5MM	-	50	-
2011-0010	CARABINER 60MM	-	50	-

COVER - CLAMP





FEATURES

• indicates for the protection of metal clamps #8-10


COD.	DESCRIPTION	PACK	вох	PALLET
2011-0012	COVER - CLAMP # 8-10	100 23	500	12000
(A)	114			

37

38

TENT SYSTEM

TAB. 1




LEGEND

- REVERSE HOOK (P.G.34), 2 NAILS CLIP (P.G.16)
 SIMPLE POST CAP, AER POST CAP (P.G.8)
 CROSS-STOP (P.G.32)
 A 2 NAILS CLIP (P.G.16)

FLAT SYSTEM CONCRETE POLES

TAB. 2




LEGEND

1. CLIP RESIA, RIVA, RIVA JR. (PAG. 13)
2. POST CAP MONVISO (PAG. 7)
3. CLIP ROLLE, SEW (PAG. 14)
4. CLIP MAGNUM, NIÑA (PAG. 15)
5. ANCORA.NET, STOP.NET (PAG. 19)

WOODEN POLES SYSTEM

TAB. 3




LEGEND

1. CLIP RESIA, RIVA, RIVA JR. (PAG. 13)

"CAPANNINA" SYSTEM

TAB. 4




EGEND

1. 12 NAILS CLIP, CLIP ANCORPLACK2 (PAG. 15,16) 2. POST CAP MONVISO, POST CAP SIMPLE

FLAT SYSTEM WITH ELASTICS AND WOODEN POLES

TAB. 5



LEGEND